

- گزینه چهارم

$$2(1 + 2a) = 5 - a + a \Rightarrow 2 + 4a = 5 \Rightarrow a = \frac{3}{4}$$

$$\frac{3}{4}, \frac{5}{2}, \frac{17}{4} \quad a_9 = a_1 + 8d = \frac{3}{4} + 8 \times \frac{7}{4} = \frac{59}{4} = 14/75$$


$$d = \frac{7}{4}$$

- گزینه سوم

$$\left(p \xrightarrow{\text{درست}} r \right) \Rightarrow \left(r \xrightarrow{\text{نادرست}} q \right) \sim r$$

نادرست: کل درست \rightarrow r نادرست
کل درست $\rightarrow r$ \rightarrow کل درست

- گزینه اول



- گزینه چهارم


$$|x' - x''| = \sqrt{s^2 - 4p} = \sqrt{4k^2 - 20} = 2\sqrt{k^2 - 5} = \frac{4}{3}k$$

$$k^2 - 5 = \frac{4}{9}k^2 \Rightarrow \frac{5k^2}{9} = 5 \Rightarrow k = \pm 3 \Rightarrow \left[\frac{k^2}{2} \right] = 4$$

- گزینه اول

$$B \left| \begin{matrix} 0 \\ 2 \end{matrix} \right. \quad m = \tan \frac{3\pi}{4} = -1$$

$$y - 2 = -1(x - 0) \rightarrow y = 2 - x$$



$$A \left| \begin{matrix} 4 \\ -2 \end{matrix} \right.$$

$$OA = \sqrt{16 + 4} = 2\sqrt{5}$$



گزینه دوم - ۶

$$f(\sqrt{5}) = 5 - 2 = 3$$

$$f(a \times 3) = 2 \xrightarrow{a=-\frac{1}{3}} f(3a) = f(-1) = 1 + 1 = 2$$

گزینه دوم - ۷

$$\sqrt{x} = a - \sqrt{x-a}$$

$$\left(\underbrace{\sqrt{x} + \sqrt{x-a}}_a \right) (\sqrt{x} - \sqrt{x-a}) = a$$

$$\sqrt{x} + \sqrt{x-a} = a$$

$$\Rightarrow 2\sqrt{x} = a + 1 \quad \sqrt{x} = \frac{a+1}{2}$$

$$\sqrt{x} - \sqrt{x-a} = 1$$

$$a = 1, 3, 5, 7, 9$$

گزینه دوم - ۸

$$10 - x = -10 \Rightarrow x = 20 \Rightarrow \begin{vmatrix} 20 \\ 1 \end{vmatrix} \in f^{-1} \Rightarrow \begin{vmatrix} 1 \\ 20 \end{vmatrix} \in f$$

$$20 = 1 + 6 + a + 1 \Rightarrow \boxed{a = 12}$$

گزینه چهارم - ۹

$$(x-2)(x^2 + 2x + 4) = 8 \Rightarrow x^3 - 8 = 8 \Rightarrow x^3 = 16 \Rightarrow \boxed{x = 2\sqrt[3]{2}}$$

$$\log_{3\sqrt{2}} x = \log_{2^{\frac{1}{3}}} 2^{\frac{4}{3}} = \frac{\frac{4}{3}}{\frac{1}{3}} = 4$$



۱۰- گزینه اول

$$y = c + \log_5(ax + b)$$

$$f(0) = 2 \Rightarrow 2 = c + \log_5 b$$


$$f(2/4) = 0 \Rightarrow 0 = c + \log_5 \left(\frac{12a}{5} + b \right)$$

$$\log_5 \frac{\frac{12a}{5} + b}{b} = -2 \Rightarrow \frac{12a+5b}{5b} = \frac{+1}{25}$$

$$60a + 25b = +b \Rightarrow 60a = -24b$$

$$\frac{a}{b} = \frac{-24}{60} = \frac{-2}{5}$$

۱۱- گزینه سوم



$$AH^2 = 16 - 9 = 7 \Rightarrow AH = \sqrt{7}$$

$$\tan(\pi - \alpha) = \frac{\sqrt{7}}{2} \Rightarrow -\tan\alpha = \frac{\sqrt{7}}{2} \Rightarrow \boxed{\tan\alpha = -\frac{7}{2}}$$

۱۲- گزینه دوم

$$3\cos 4x + \sqrt{2} \times \sqrt{2} \sin \left(x - \frac{\pi}{4} \right)$$

$$3\cos \frac{\pi}{3} + 2 \sin \left(\frac{\pi}{12} - \frac{\pi}{4} \right) = 3 \times \frac{1}{2} + 2 \times \sin \frac{-\pi}{6} = \frac{3}{2} - 1 = \frac{1}{2}$$

۱۳- گزینه سوم

$$\alpha = \frac{\pi}{2} \Rightarrow \frac{1+0}{1} - \frac{0+4}{1+1} = -1$$



گزینه چهارم - ۱۴

$$1 - 2\sin^2 x + \sin^2 x = 0 \Rightarrow \sin^2 x = 1 \Rightarrow \sin x = \pm 1 \Rightarrow \frac{\pi}{2} - \frac{\pi}{2} - \frac{5\pi}{2} - \frac{3\pi}{2} = -4\pi$$

گزینه اول - ۱۵

$$\lim_{x \rightarrow 2^+} \frac{x-2}{x^2 - [x^2]} = \lim_{x \rightarrow 2^+} \frac{x-2}{x^2 - 4} = \lim_{x \rightarrow 2^+} \frac{1}{2x} = \frac{1}{4}$$

$$\lim_{x \rightarrow 2^-} \frac{x-2}{x^2 - 3} = 0$$

گزینه دوم - ۱۶

$$(f - g)(x) = \frac{4}{x^2 + 2x - 3} - \frac{1}{x-1} = \frac{4}{(x-1)(x+3)} - \frac{1}{x-1} = \frac{4-x-3}{(x-1)(x+3)} = \frac{1-x}{(x-1)(x+3)} = \frac{-1}{x+3}$$

$$\begin{cases} x = -3 \\ y = 0 \end{cases}$$

گزینه سوم - ۱۷

$$\lim_{x \rightarrow 0^+} f(x) = 1 - 3a^2 = b \sin \frac{\pi}{a}$$

$$\lim_{x \rightarrow 0^-} f(x) = a - 1$$

$$3a^2 + a - 2 = 0 \Rightarrow \begin{cases} a = -1 \\ a = +\frac{2}{3} \end{cases} \quad \begin{array}{l} \text{---} \rightarrow b \sin(-\pi) = -2 \quad \text{X} \\ \text{---} \rightarrow b \sin \frac{3\pi}{2} = -\frac{1}{3} \Rightarrow b = \frac{1}{3} \end{array}$$

$$\frac{a}{b} = \frac{\frac{2}{3}}{\frac{1}{3}} = 2$$

گزینه اول - ۱۸

$$\frac{f}{g} = x + 8 - x = 8$$

$$\frac{f'g - g'f}{g^2} = 0$$



گزینه دوم - ۱۹

اولاً: $m - 1 \leq 1 \Rightarrow m \leq 2 \xrightarrow{m \neq 2} m < 2$ ①

$$ad - bc < 0 \Rightarrow (m - 1)m - 2 < 0 \Rightarrow$$

$$m^2 - m - 2 < 0 \Rightarrow -1 < m < 2 \quad ②$$

$$\textcircled{1} \cap \textcircled{2}: -1 < m < 2 \Rightarrow m = 0, 1$$

گزینه چهارم - ۲۰

اولاً: $ba + c = \frac{1}{a} \Rightarrow ba^2 + ac = 1$

ثانياً: $b = \frac{-1}{a^2} \Rightarrow ba^2 = -1$

$$\left. \begin{array}{l} ba^2 + ac = 1 \\ ba^2 = -1 \end{array} \right\} \Rightarrow ac = 2$$

گزینه سوم - ۲۱

اعطف $x = -\frac{b}{3a} = \frac{-a}{3} = -1 \Rightarrow a = 3$

$$f(-1) = -4 \Rightarrow -1 + a - b - 1 = -4$$

$$b = 5$$

$$\frac{a}{b} = \frac{3}{5} = 0/6$$

